Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-chemical-thermodynamics_1983_15_contents

THE JOURNAL OF CHEMICAL THERMODYNAMICS

Volume 15, 1983

EDITORS

M. L. McGlashan
Department of Chemistry
University College London
20 Gordon Street
London WC1H 0AJ
U.K.

P. A. G. O'Hare
Argonne National Laboratory
Chemical Technology Division
Argonne
Illinois 60439
U.S.A.

Assistant Editor: **M. B. Ewing** (University College London, U.K.)

ADVISORY BOARD

Chairman: G. M. Schneider (F.R.G.)

D. Ambrose (U.K.)
G. C. Benson (Canada)
M. Colomina (Spain)
L. G. Hepler (Canada)
O. J. Kleppa (U.S.A.)
M. Månsson (Sweden)
V. A. Medvedev (U.S.S.R.)
F. L. Oetting (U.S.A.)
J. B. Ott (U.S.A.)
F. Pavese (Italy)
G. Pilcher (U.K.)
L. A. K. Staveley (U.K.)
J. Stecki (Poland)
H. Suga (Japan)
A. G. Williamson (N.Z.)

ACADEMIC PRESS
London New York Toronto
Sydney San Francisco
A Subsidiary of Harcourt Brace Jovanovich, Publishers

Copyright © 1983 Academic Press Inc. (London) Limited

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 15

Number 1, January 1983

FUJIHARA, I.; KOBAYASHI, M.; MURAKAMI, S. Excess enthalpies of *trans*-decalin + benzene, + toluene, + iso-octane, and + heptane at 298.15 K . . 1

PIACENTE, V.; GIANFREDA, V. D.; BARDI, G. Vapour pressure of solid Bi_2S_3 . 7

NAKAGAWA, M.; MIYAMOTO, Y.; MORIYOSHI, T. Compressions of aqueous binary mixtures containing alcohols and cyclic ethers at 298.15 K and 101.3 MPa 15

OSBORNE, C. G.; MORCOM, K. W. Thermodynamic behaviour of (hexafluorobenzene + a cyclic ether). II. Excess enthalpies 23

SMITH, G.; SELLARS, A.; YERLETT, T. K.; WORMALD, C. J. The excess enthalpy of (water + hydrogen) vapour and (water + methane) vapour . . 29

ROY, R. N.; GIBBONS, J. J.; WOOD, M. D.; WILLIAMS, R. W.; PEIPER, J. C.; PITZER, K. S. The first ionization of carbonic acid in aqueous solutions of potassium chloride including the activity coefficients of potassium bicarbonate 37

CIBULKA, I.; EWING, M. B.; MCGLASHAN, M. L. $\{(1-x)c\text{-}C_nH_{2n} + xCCl_4\}$(l) and $\{(1-x)c\text{-}C_nH_{2n} + xCHCl_3\}$(l): excess molar enthalpies $H_m^E(T = 298.15\ K, x)$ for $n = 7$ and $n = 8$; and excess molar volumes $V_m^E(T = 298.15\ K, x)$ for $n = 7$. 49

PAULAITIS, M. E.; ECKERT, C. A. Direct determination of activities in liquid metal mixtures by mass spectrometry 55

TAKAHASHI, Y.; KADOKURA, H.; YOKOKAWA, H. Laser-flash calorimetry. IV. Heat capacity of gallium from 80 to 600 K in two solid phases and liquid phase 65

BATTINO, R.; MALHOTRA, R.; MCELROY, P. J.; WILLIAMSON, A. G. Excess second virial coefficients for (benzene + *n*-hexane) and (cyclohexane + *n*-hexane) 83

RAO, M. V.; VISWANATH, D. S. Excess enthalpies of *p*-xylene + 1,2-dichloroethane, + 1,1,1-trichloroethane, and + 1,1,2,2-tetrachloroethane at 298.15 and 303.15 K 89

JOCHEMS, R.; DEKKER, H.; MOSSELMAN, C.; SOMSEN, G. Enthalpies of formation of bicyclo[3.3.1]non-2-ene, bicyclo[3.2.2]non-6-ene, and bicyclo[4.2.1]non-3-ene 95

Number 2, February 1983

TASKINEN, P. E.m.f. studies on indium–oxygen and thallium–oxygen interactions in molten copper 101

RÓG, G.; KOZŁOWSKA-RÓG, A. Determination of the standard Gibbs free energies of formation of the calcium silicates by e.m.f. measurements . 107

RÓG, G.; KOZIŃSKI, S. Thermodynamics of iron orthosilicate . . . 111

LEBEDEV, B. V.; YEVSTROPOV, A. A. Thermodynamics of β-propiolactone, γ-butyrolactone, δ-valerolactone, and ε-caprolactone from 13.8 to 340 K . 115

KRUIF, C. G. DE; MILTENBURG, J. C. VAN; BLOK, J. G. Molar heat capacities and vapour pressures of solid and liquid benzophenone 129

KAPTEIJN, F.; STEEN, A. J. VAN DER; MOL, J. C. Thermodynamics of the geometrical isomerization of 2-butene and 2-pentene 137

KAPTEIJN, F.; HOMBURG, E.; MOL, J. C. Thermodynamics of the metathesis of propene into ethene and 2-butene 147

AIROLDI, C.; CHAGAS, A. P.; OLIVEIRA, O. A. DE A calorimetric study of (cobalt(II) chloride + acetonitrile) compared with other techniques . 153

ATIK, Z.; EWING, M. B.; MCGLASHAN, M. L. Chiral discrimination in liquids. II. Excess molar enthalpies of $\{(1-x)A_+ + xA_-\}$, where A denotes fenchone or α-methylbenzylamine 159

BOZDAG, O.; LAMB, J. A. Dependence of the mutual solubilities of (2-butanol + water) upon pressure and temperature 165

PANDO, C.; RENUNCIO, J. A. R.; MCFALL, T. A.; IZATT, R. M.; CHRISTENSEN, J. J. The excess enthalpies of (carbon dioxide + decane) from 283.15 to 323.15 K at 7.58 MPa 173

AMITIN, E. B.; BESSERGENEV, W. G.; KOVALEVSKAYA, YU. A.; PAUKOV, I. E. Thermodynamic properties of dysprosium from 7 to 300 K . . . 181

PAWLAK, Z.; MUKHERJEE, L. M.; HAMPTON, A. A.; BATES, R. G. Calorimetric studies of hydrogen-bond formation in propylene carbonate. III. Conjugation involving nitrate and halide ions at 298.15 K . . . 189

EASTEAL, A. J.; WOOLF, L. A. (*p, V, T*) behaviour for formamide in the range 288 to 323 K and 0.1 to 280 MPa 195

Number 3, March 1983

KĄKOŁOWICZ, W.; GIERA, E. Standard enthalpies of formation of the chelate complexes of some 3d-electron elements with pentane-2,4-dione. Metal–oxygen bond energies and ligand-field stabilization energies . . 203

HALES, J. L.; GUNDRY, H. A.; ELLENDER, J. H. Liquid densities from 288 to 490 K of four organic oxygen compounds 211

SCHOFIELD, R. S.; POST, M. E.; MCFALL, T. A.; IZATT, R. M.; CHRISTENSEN, J. J. The excess enthalpies of liquid (dichlorodifluoromethane + *N*,*N*-dimethylacetamide) from 263.15 to 413.15 K and 4.33 to 4.53 MPa . 217

ARMITAGE, D. A.; LINFORD, R. G.; THORNHILL, D. G. T. The solubilities of gases in liquid mixtures: ethane in (benzene + 2,2,4-trimethylpentane), sulphur hexafluoride in (benzene + 2,2,4-trimethylpentane), and ethane in (benzene + cyclohexane) at 302.75 K 225

PANDO, C.; RENUNCIO, J. A. R.; IZATT, R. M.; CHRISTENSEN, J. J. The excess molar enthalpies of $\{xCO_2+(1-x)C_2H_6\}$ from 293.15 to 323.15 K at 7.58 MPa 231

CORDFUNKE, E. H. P.; OUWELTJES, W.; VLAANDEREN, P. VAN. Standard enthalpies of formation of uranium compounds. X. Uranium oxide chlorides 237

KUMARAN, M. K.; BENSON, G. C. Limiting partial molar volumes of ethanol, propan-1-ol, butan-1-ol, pentan-1-ol, and hexan-1-ol in *n*-heptane at 298.15 K 245

KUMARAN, M. K.; HALPIN, C. J.; BENSON, G. C. Limiting excess partial molar enthalpies of hexan-1-ol, 2-methylpentan-1-ol, and 2-ethylbutan-1-ol in *n*-hexane at 298.15 K 249

INGLESE, A.; DELL'ATTI, A.; CASTAGNOLO, M.; GIGLIO, A. DE. Excess volumes of (bromobenzene + an *n*-alkane) at 298.15 K 253

PANDO, C.; RENUNCIO, J. A. R.; IZATT, R. M.; CHRISTENSEN, J. J. The excess enthalpies of (carbon dioxide + pentane) at 308.15 and 323.15 K from 7.58 to 12.45 MPa 259

OTT, J. B.; GOATES, J. R. (Solid + liquid) phase equilibria in binary mixtures containing benzene, a cycloalkane, an *n*-alkane, or tetrachloromethane. An equation for representing (solid + liquid) phase equilibria . . 267

MORSS, L. R.; WILLIAMS, C. W. Enthalpies of formation of strontium dichloride and of the strontium ion (Sr^{2+}) in water and in 1 $mol \cdot dm^{-3}$ HCl, and an assessment of enthalpies of formation of alkaline-earth dichlorides 279

AN, XU-WU; MÅNSSON, M. Enthalpies of combustion and formation of acetonitrile 287

PERONNE, R.; BALESDENT, D. Chemical potential of sulphur in (copper + sulphur) by thermogravimetry of copper sulphide in a gaseous mixture of H_2 and H_2S between 633 and 1033 K 295

Number 4, April 1983

WESTRUM, E. F., JR. Lattice and Schottky contributions to the morphology of lanthanide heat capacities. (The third Rossini lecture delivered on 10 September 1982 at the Conference on Chemical Thermodynamics held under the auspices of the IUPAC Commission on Thermodynamics at University College London, U.K.) 305

WIECZOREK, S. A.; ŻYWOCIŃSKI, A. Determination of the excess molar volumes of (cyclohexane + benzene) between 293.15 and 308.15 K by use of a continuous-dilution dilatometer 327

KHRIPLOVICH, L. M.; PAUKOV, I. E. Heat capacity and thermodynamic properties of molybdenum from 5 to 302 K 333

ATAKE, T.; NOMOTO, K.; CHAUDHURI, B. K.; CHIHARA, H. Rb_2ZnCl_4: three heat-capacity anomalies due to soft-mode and commensurate–incommensurate transitions 339

DUNN, A. G.; JEWESS, M.; STAVELEY, L. A. K.; WORSWICK, R. D. Heat capacity of tetramethylammonium trichloromanganate(II) from 1.5 to 300 K 351

PRIEST, J. G.; WOOLLEY, E. M.; OTT, J. B.; GOATES, J. R. Solid + liquid phase equilibria, excess enthalpies, and enthalpies of fusion in (2,3-dimethyl-2,3-butanediol + water) 357

DRAEGER, J. A.; HARRISON, R. H.; GOOD, W. D. Chemical thermodynamic properties of molecules that undergo inversion. I. Aniline, methylamine, cyclopropylamine, and cyclopentene 367

KABO, G. J.; FRENKEL, M. L. Thermodynamics of diastereomeric transformations of alcohols with different carbon-skeleton structures . 377

ATAKE, T.; NOMOTO, K.; CHAUDHURI, B. K.; CHIHARA, H. K_2SeO_4: calorimetric studies of two successive phase transitions 383

NOTES

LETCHER, T. M.; HEYWARD, C.; SPITERI, W. L. The excess molar enthalpies of cyclopentane + each of six *n*-alkanes at two temperatures. 395

HASLAM, E., LILLEY, T. H.; MCMANUS, J. P. The enthalpy of interaction of resorcinol with glycine in water at 298.15 K 397

LILLEY, T. H.; TASKER, I. R. The osmotic coefficients of aqueous (lithium chloride + nickel chloride) and (tetramethylammonium chloride + nickel chloride) at 298.15 K 399

BLACHNIK, R.; GATHER, B. Excess enthalpies of liquid (copper + tellurium) alloys 401

Number 5, May 1983

WEINTRAUB, R.; TAMIR, A.; APELBLAT, A. Enthalpy of solution of ammonium iodide in water. 403

EKEREN, P. J. VAN; JACOBS, M. H. G.; OFFRINGA, J. C. A.; KRUIF, C. G. DE. Vapour-pressure measurements on *trans*-diphenylethene and naphthalene using a spinning-rotor friction gauge 409

HAYNES, W. M. Measurements of densities and dielectric constants of liquid propane from 90 to 300 K at pressures to 35 MPa 419

MOHR, G. D.; MOHR, M.; KIDNAY, A. J.; YESAVAGE, V. F. The enthalpies of 2,6-dimethylpyridine and *m*-cresol between 314 and 669 K and at pressures up to 10.3 MPa. 425

JACKSON, D. A.; YESAVAGE, V. F.; KIDNAY, A. J. The enthalpy of thiophene between 326 and 664 K and at pressures to 10.3 MPa 437

FRANZOSINI, P.; PLAUTZ, W. A.; WESTRUM, E. F., JR. Thermophysics of metal alkanoates. I. Heat capacities and thermodynamic properties of sodium methanoate and ethanoate 445

SACCHETTO, G. A.; KODEJŠ, Z. Vapour pressures of very concentrated electrolyte solutions. II. Measurements on $\{(1-x)(CH_3)_2SO + xCa(NO_3)_2\}$ by a dew-point apparatus 457

GARCÍA, J.; BARTOLOMÉ, J.; GONZÁLEZ, D.; NAVARRO, R.; FRUCHART, D. Thermophysical properties of the intermetallic Mn_3MN perovskites. I. Heat capacity of the manganese nitride Mn_4N. 465

POVEDA VILCHES, J. L.; CACERES ALONSO, M.; CASTELLANOS MEDINA, M. A.; NUÑEZ DELGADO, J. Excess volumes of (benzene + a cycloalkane) . . 475

MASKILL, H.; STEELE, W. V. A thermochemical study of tri-*tert*-butylmethanol 481

O'ROURKE, D. F.; MRAW, S. C. Heat capacities and enthalpies of fusion of dibenzothiophene (220 to 560 K) and of biphenyl, cyclohexylbenzene, and cyclohexylcyclohexane (220 to 475 K). Enthalpies and temperatures of three transitions in solid cyclohexylcyclohexane 489

Number 6, June 1983

KIMURA, F.; TRESZCZANOWICZ, A. J.; HALPIN, C. J.; BENSON, G. C. Excess volumes and ultrasonic speeds for (di-*n*-propylether + *n*-heptane) . . 503

KIMURA, F.; D'ARCY, P. J.; BENSON, G. C. Excess enthalpies and heat capacities for (di-*n*-propylether + *n*-heptane) 511

LOPEZ, M. C.; ROYO, F. M.; GRACIA, M.; GUTIERREZ LOSA, C. Excess molar enthalpies of $[(1-x)C_nH_{2n+1}(Cl \text{ or } Br) + x\{c\text{-}C_6H_{12} \text{ or } CH_3C(CH_3)_2C_2H_5\}]$ at 298.15 K 517

Melnikova, V. M.; Efimov, M. E.; Vasin, S. K.; Medvedev, V. A. The standard molar enthalpies of formation of zirconium sulphate and its crystal hydrates 523

Aim, K.; Svoboda, V.; Majer, V. Vapour pressures, densities, and refractive indices of 2-chloro-1,1,2-trifluoroethyl ethyl ether, 2-chloro-1,1,2-trifluoroethyl propyl ether, 2-chloro-1,1,2-trifluoroethyl chloromethyl ether, and 2-chloro-1,1,2-trifluoroethyl difluoromethyl ether . . . 531

Oetting, F. L.; Adams, R. O. The chemical thermodynamics of nuclear materials. VIII. The high-temperature heat capacity of unalloyed plutonium metal 537

Herrero, L. A.; Otin, S.; Gutierrez Losa, C. Thermodynamic properties of organic oxygen compounds. Excess enthalpies of (cyclohexanone or a methylcyclohexanone + cyclohexane or + methylcyclohexane) . . 555

Díaz Peña, M.; Lainez, A.; Rodrigo, M. M.; Aicart, E. Excess functions of (1-bromobutane + benzene) at various temperatures 559

Kashiwagi, H.; Fukunaga, T.; Tanaka, Y.; Kubota, H.; Makita, T. Dielectric constant and density of (benzene + chlorobenzene) at high pressures 567

Fernandez, J.; Paz Andrade, M. I.; Pintos, M.; Sarmiento, F.; Bravo, R. Excess enthalpies of (secondary amine + alcohol) at 298.15 K . . 581

Bender, R.; Bieling, V.; Maurer, G. The vapour pressures of solids: anthracene, hydroquinone, and resorcinol 585

Steele, W. V. The standard molar enthalpies of formation of organosilicon compounds and related bond-dissociation enthalpies. II. Tetramethylsilane 595

Number 7, July 1983

Efimov, M. E.; Medvedev, V. A.; Smoljar, M. I.; Khrenova, I. V. The standard molar enthalpy of formation of nitrite ion in aqueous solution. 603

Franzosini, P.; Westrum, E. F., Jr.; Plautz, W. A. Thermophysics of metal alkanoates. II. Heat capacities and thermodynamic properties of sodium propanoate 609

Jacobs, M. H. G.; Ekeren, P. J. van; Kruif, C. G. de. The vapour pressure and enthalpy of sublimation of ferrocene 619

Mayrath, J. E.; Wood, R. H. Enthalpies of dilution of aqueous solutions of two hydrophobic solutes: *t*-butanol and tetra-*n*-butylammonium bromide, at 348.15 to 423.65 K 625

WATANABE, S.; KLEPPA, O. J. A thermochemical study of liquid and solid alloys $\{(1-x)La+xNi\}$ at 1376 K 633

DOWNIE, D. B.; ARSLAN, F. Enthalpies of formation of (cobalt + chromium) alloys at 473 K 645

WIT, H. G. M. DE; MILTENBURG, J. C. VAN; KRUIF, C. G. DE. Thermodynamic properties of molecular organic crystals containing nitrogen, oxygen, and sulphur. 1. Vapour pressures and enthalpies of sublimation . . . 651

CERISIER, P.; SY, B. Ultrasonic speed and compressibility in fused-salt mixtures with a miscibility gap: $\{xKNO_3 + (1-x)TlBr\}$, $\{xRbNO_3 + (1-x)TlBr\}$, $\{xKNO_3 + xRbNO_3 + (1-2x)TlBr\}$, and $\{xKNO_3 + xCsNO_3 + (1-2x)TlBr\}$ 665

CROUCH-BAKER, S.; DICKENS, P. G. Standard molar enthalpies of formation of $MoO_3 \cdot 2H_2O$ and yellow $MoO_3 \cdot H_2O$ by solution calorimetry . . 675

OFFRINGA, J. C. A.; KRUIF, C. G. DE; EKEREN, P. J. VAN; JACOBS, M. H. G. Measurement of the evaporation coefficient and saturated vapour pressure of *trans*-diphenylethene using a temperature-controlled vacuum quartz-crystal microbalance 681

MARTIN, J. F.; DOWNIE, D. B. Heat capacities of transition-metal alloys. 1. Sigma-phase alloy $Co_{0.435}Cr_{0.565}$ 691

Number 8, August 1983

KAMBAYASHI, S.; KATO, E. A thermodynamic study of (magnesium oxide + silicon dioxide) by mass spectrometry 701

HOLMES, H. F.; MESMER, R. E. Isopiestic studies of aqueous solutions at elevated temperatures. VII. $MgSO_4$ and $NiSO_4$ 709

NAGATA, I.; TAMURA, K. Excess enthalpies of acetonitrile + trichloromethane, + ethyl acetate, and + methyl acetate, and of (acetonitrile + trichloromethane) + ethyl acetate and + methyl acetate at 308.15 K . 721

WORMALD, C. J.; COLLING, C. N. Excess enthalpies for (water + nitrogen)(g) up to 698.2 K and 12.6 MPa 725

VOGEL, G. L.; HAMZAVI-ABEDI, M. A.; MARTIRE, D. E. Activity coefficients of nine normal and branched alkanes in *n*-octadecane at 303.15 K . . 739

PANDO, C.; RENUNCIO, J. A. R.; SCHOFIELD, R. S.; IZATT, R. M.; CHRISTENSEN, J. J. The excess enthalpies of (carbon dioxide + toluene) at 308.15, 385.15, and 413.15 K from 7.60 to 12.67 MPa 747

KOZOULIA, P.; BROS, J. P.; GAUNE-ESCARD, M. Thermodynamics of liquid (potassium + potassium bromide) at high temperatures 757

CASTANET, R.; CHASTEL, R.; BERGMAN, C. Thermodynamic investigation of (a transition metal + germanium or silicon). II. (Palladium + silicon) alloys 773

RUBIO, R. G.; RENUNCIO, J. A. R.; DIAZ PEÑA, M. Vapour-liquid equilibrium of (methanol + a heptanone) at 298.15 K 779

HUBBARD, W. N.; RAWLINS, P. L.; CONNICK, P. A.; STEDWELL, R. E., JR.; O'HARE, P. A. G. The standard enthalpy of formation of $LaNi_5$. The enthalpies of hydriding of $LaNi_{5-x}Al_x$ 785

NOTE

BENSON, G. C.; KUMARAN, M. K. Isentropic pressure derivative of the excess partial molar volume of a mixture 799

Number 9, September 1983

HAYNES, W. M. Measurements of densities and dielectric constants of liquid normal butane from 140 to 300 K at pressures to 35 MPa . . . 801

DÍAZ PEÑA, M.; LAINEZ, A.; COMPOSTIZO, A.; CRESPO, A. Excess functions of (1-bromobutane + toluene) at various temperatures 807

HAYNES, W. M.; MCCARTY, R. D. Low-density isochoric (p, V, T) measurements on (nitrogen + methane) 815

KARVO, M. Excess enthalpies of sulfolane + benzene, + toluene, + *p*-xylene, and + mesitylene as functions of temperature 821

BEYER, R. P.; FERRANTE, M. J.; MRAZEK, R. V. An automated calorimeter for heat-capacity measurements from 5 to 300 K. The heat capacity of cadmium sulfide from 5.37 to 301.8 K and the relative enthalpy to 1103.4 K 827

BEYER, R. P. Heat capacity of zinc oxysulfate from 7.5 to 309.4 K with a transition from 270 to 306 K 835

METZGER, R. M.; KUO, C. S.; ARAFAT, E. S. A semi-micro rotating-bomb combustion calorimeter 841

UCHYTILOVÁ, V.; MAJER, V.; SVOBODA, V.; HYNEK, V. Enthalpies of vaporization and cohesive energies for seven aliphatic ketones . . 853

TAMURA, K.; OHOMURO, K.; MURAKAMI, S. Speeds of sound, isentropic and isothermal compressibilities, and isochoric heat capacities of $\{xc\text{-}C_6H_{12}+(1-x)C_6H_6\}$, $\{xCCl_4+(1-x)C_6H_6\}$, and $\{xC_7H_{16}+(1-x)C_6H_6\}$ at 298.15 K 859

VANDERZEE, C. E.; SPRENGEL, M. E. The standard molar enthalpies of formation of $I^-(aq)$ and HI(g) at 298.15 K 869

GRØNVOLD, F.; MEISINGSET, K. K. Thermodynamic properties and phase transitions of salt hydrates between 270 and 400 K. II. $Na_2CO_3 \cdot H_2O$ and $Na_2CO_3 \cdot 10H_2O$ 881

WIT, H. G. M. DE; KRUIF, C. G. DE; MILTENBURG, J. C. VAN. Thermodynamic properties of molecular organic crystals containing nitrogen, oxygen, and sulfur. II. Molar heat capacities of eight compounds by adiabatic calorimetry 891

Number 10, October 1983

HAYNES, W. M. Orthobaric liquid densities and dielectric constants of (methane + 2-methylpropane) and (methane + *n*-butane) at low temperatures 903

CACERES ALONSO, M.; POVEDA VILCHES, J. L.; SANCHEZ-PAJARES, R. G.; NUÑEZ DELGADO, J. Excess volumes of (toluene + *n*-alkane)s. . . 913

AICART, E.; KUMARAN, M. K.; HALPIN, C. J.; BENSON, G. C. Ultrasonic speeds and isentropic compressibilities of *n*-heptane + each of the hexane isomers at 298.15 K 919

ANDERSON, T. J.; ASELAGE, T. L.; DONAGHEY, L. F. Solid-state electrochemical study of (gallium + antimony) liquid alloys 927

KIRKLIN, D. R.; DOMALSKI, E. S. Enthalpy of combustion of adenine . . 941

AKELLO, M. J.; PAZ-ANDRADE, M. I.; PILCHER, G. Enthalpies of solution of the three crystalline aminopyridines in aqueous perchloric acid and in water at 298.15 K: the solution of 4-aminopyridine as a reference reaction for solution calorimetry 949

RIBEIRO DA SILVA, M. A. V.; REIS, A. M. M. V. The standard molar enthalpies of formation of bis(benzoylacetonato)beryllium(II) and tris(benzoylacetonato)aluminium(III) and the mean molar metal–oxygen bond-dissociation enthalpies 957

LETCHER, T. M.; SPITERI, W. Excess molar volumes of (triethylamine + water) at temperatures close to the lower critical solution temperature . . 965

PASSERONE, A.; SANGIORGI, R.; CARACCIOLO, G. The surface tension of liquid lead. 971

VALERO, J.; GRACIA, M.; GUTIERREZ LOSA, C. Excess molar enthalpies of some (nitrile + alkane) mixtures 985

CHAN, Y. C.; STWALLEY, W. C. Gas-phase equilibria of isotopic lithium systems. I. Pure lithium 989

CHAN, Y. C.; STWALLEY, W. C. Gas-phase equilibria of isotopic lithium systems. II. Lithium and hydrogen 995

NOTE

Griffith, G.; Jackson, P. R.; Kenyon-Blair, E.; Morcom, K. W. (Solid + liquid) phase equilibria for (hexafluorobenzene + 1-methylnaphthalene). 1001

Number 11, November 1983

Marcos, D. H.; Lindley, D. D.; Wilson, K. S.; Kay, W. B.; Hershey, H. C. A (p, V, T) study of tetramethylsilane, hexamethyldisiloxane, octamethyltrisiloxane, and toluene from 423 to 573 K in the vapor phase 1003

Vanderzee, C. E.; Noll, L. A. Enthalpies of dilution and relative apparent molar enthalpies of aqueous sodium sulfite at 298.15 K 1015

Rauf, M. A.; Arfan, M.; Farhataziz. Excess molar volumes of (N,N'-dimethylformamide + an aliphatic alcohol) at 298.15 K 1021

Kapała, J.; Skudlarski, K. Excess molar Gibbs free energy of $\{x\mathrm{TlBr}+(1-x)\mathrm{TlI}\}$ investigated by mass spectrometry 1025

Dworkin, A. Heat capacity, phase transition, and thermodynamic properties of benzil 1029

Tmar, M.; Pasturel, A.; Colinet, C. Thermodynamics of (silicon + indium) and (silicon + gallium). Calorimetric determination of the partial molar enthalpy at infinite dilution of Si in indium and gallium . 1037

García, J.; Bartholomé, J.; González, D.; Navarro, R.; Fruchart, D. Thermophysical properties of the intermetallic Mn_3MN perovskites. II. Heat capacity of manganese zinc nitride: Mn_3ZnN and manganese gallium nitride: Mn_3GaN 1041

García, J.; Bartholomé, J.; González, D.; Navarro, R.; Fruchart, D. Thermophysical properties of the intermetallic Mn_3MC perovskites. I. Heat capacity of manganese gallium carbide Mn_3GaC 1059

Kumaran, M. K.; Halpin, C. J.; Benson, G. C. Speed of sound close to the critical solution point of (tetrachloromethane + tetradecafluoromethylcyclohexane) 1071

Nissema, A.; Kaivamo, T.; Karvo, M. Thermodynamic properties of binary and ternary systems. XII. Excess enthalpies of cyclohexane + *p*-xylene, *p*-xylene + dimethylsulfoxide, and dimethylsulfoxide + cyclohexane + *p*-xylene 1083

Rogers, D. W.; Crooks, E. L. Enthalpies of hydrogenation of the isomers of *n*-hexene 1087

Morss, L. R.; Williams, C. W.; Choi, I. K.; Gens, R.; Fuger, J. Thermodynamics of actinide perovskite-type oxides. II. Enthalpy of formation of Ca_3UO_6, Sr_3UO_6, Ba_3UO_6, Sr_3NpO_6, and Ba_3NpO_6 . 1093

NOTE

CORDFUNKE, E. H. P.; OUWELTJES, W.; PRINS, G.; VLAANDEREN, P. VAN. Standard enthalpies of formation of UCl_5, UCl_6, and UOCl. Correction of errors in previous papers 1103

Number 12, December 1983

JAIN, D. V. S.; SINGLA, V. K.; SAINI, S. B.; SIDHU, R. S. Excess molar volumes of methylcyclohexane + benzene, + methylbenzene, + 1,4-dioxane, and + tetrahydrofuran at 303.15 K 1105

GARCÍA, J.; BARTOLOMÉ, J.; GONZÁLEZ, D.; NAVARRO, R.; CRAMA, W. J. Heat capacity and thermodynamic functions of $CsCrCl_3$ and $RbCrCl_3$. Structural phase transitions 1109

SIVARAMAN, A.; KOBAYASHI, R. Vapor pressures and enthalpies of vaporization of thianthrene, acridine, and 9-methylanthracene at elevated temperatures 1127

INABA, A. An adiabatic calorimeter for use at intermediate and higher temperatures. The heat capacity of synthetic sapphire (α-Al_2O_3) from 70 to 700 K 1137

FERNANDEZ, J.; PAZ ANDRADE, M. I.; SARMIENTO, F.; BRAVO, R. Excess enthalpies of (methyl propanoate or methyl pentanoate + 1-alkanol) at 298.15 K 1145

CHRISTENSEN, J. J.; CHRISTENSEN, S. P.; SCHOFIELD, R. S.; FAUX, P. W.; HARDING, P. R.; IZATT, R. M. The excess enthalpies of (carbon dioxide + cyclohexane) at 308.15, 358.15, and 413.15 K from 7.50 to 12.50 MPa 1151

GEHRIG, M.; LENTZ, H. Values of $p(V_m, T)$ for *n*-decane up to 300 MPa and 673 K 1159

GARCÍA, J.; BARTOLOMÉ, J.; GONZÁLEZ, D.; NAVARRO, R.; FRUCHART, D. Thermophysical properties of the intermetallic Mn_3MN perovskites. III. Heat capacity of the solid solution $Mn_{3.2}Ga_{0.8}N$ 1169

SIDDIQI, M. A.; LUCAS, K. The excess enthalpy of (tetrachloromethane + carbon disulphide) and (tetrachloromethane + dichloromethane) over a range of temperatures and pressures 1181

AICART, E.; KUMARAN, M. K.; HALPIN, C. J.; BENSON, G. C. Ultrasonic speeds and isentropic compressibilities of 2-methylpentan-1-ol with hexane isomers at 298.15 K 1189

INDEX TO VOLUME 15 1199